



**CONTEG**<sup>®</sup>  
to complete your network

Headquarters Czech Republic:  
Tel.: +420 261 219 182, Fax: +420 261 219 192  
conteg@conteg.com, www.conteg.com


Czech Republic:	+420 724 914 613
Eastern Europe:	+49 172 848 4346
France:	+33 686 074 386
GER, SUI, AUT:	+49 170 523 4958
Middle East:	+971 4 609 1226
Russia:	+7 495 506 13 28
Western Europe:	+32 476 215 089

## Data Sheet Power Distribution Units - BASIC

Data\_Sheet\_EN\_13-01-09\_conteg ©

### INTRODUCTION

Conteg Intelligent Power seeks to address the growing demand for high density power within the data centre and server room environment and has been designed with the current and future trends in mind. The Conteg Intelligent Power product range comprises three different technologies to address the needs of the higher density computing user. The range comprises power strips which feature either no intelligence (basic), the ability to remotely monitor current draw per circuit block using Ethernet and IP (Monitored range) or the ability to fully manage power strips and groups of power strips across the network (Managed range).



### DESCRIPTION

Conteg Intelligent Power Basic Strips are an enhanced version of the existing Conteg Power Strip offer and offer configurations more commonly found in today's higher density computing environment. Designed for high-density, mission-critical server applications, the Conteg BASIC power strip provides reliable power to the cabinet for both standard and Blade server environments. The outlet strips are manufactured from extruded aluminium offering high structural strength with an aesthetically pleasing appearance. High quality sockets ensure that repeat connections are easily achieved.




Socket holder DP-RP-VM-02 (ordered separately)




Type of socket UTE

Type of socket C19

Standard socket holder



UK




UTE





SCHUKO




IEC320 C13




IEC320 C19




EN309 16A



EN309 32A



IEC320 C20 16A



POWER DISTRIBUTION UNITS - BASIC \*

Code	Input Plug	Length	Type 1 Outlet	Qty	Type 2 Outlet	Qty	Rating	Mounting
IP-BA-308UK8C916	EN 60309	3m	UK	8	C19	8	16A	0U
IP-BA-312UK8C316	EN 60309	3m	UK	12	C13	8	16A	0U
IP-BA-308SH8C916	EN 60309	3m	SCHUKO	8	C19	8	16A	0U
IP-BA-312SH8C316	EN 60309	3m	SCHUKO	12	C13	8	16A	0U
IP-BA-308UT8C916	EN 60309	3m	UTE	8	C19	8	16A	0U
IP-BA-312UT8C316	EN 60309	3m	UTE	12	C13	8	16A	0U
IP-BA-320C34C916	EN 60309	3m	C13	20	C19	4	16A	0U
IP-BA-C20C34C916	EN 60309 C20	3m	C13	20	C19	4	16A	0U
IP-BA-C08C300016	EN 60309 C20	3m	C13	8	None	0	16A	1U
IP-BA-320C34C932	EN 60309	3m	C13	20	C19	4	32A	0U

\* other units including 3 phase available on request